

Interior Communications



Rolling Stock Standard





This Australian Standard® AS 7528 Interior Communications was prepared by a Rail Industry Safety and Standards Board (RISSB) Development Group consisting of representatives from the following organisations:

Bombardier DPTI TfNSW

RTBU Queensland Rail

The Standard was approved by the Development Group and the Rolling Stock Standing Committee in January, 2019. On January 30, 2019 the RISSB Board approved the Standard for release.

This standard was issued for public consultation and was independently validated before being approved.

Development of the Standard was undertaken in accordance with RISSB's accredited process. As part of the approval process, the Standard Committee verified that proper process was followed in developing the Standard.

RISSB wishes to acknowledge the positive contribution of subject matter experts in the development of this Standard. Their efforts ranged from membership of the Development Group through to individuals providing comment on a draft of the Standard during the open review.

I commend this Standard to the Australasian rail industry as it represents industry good practice and has been developed through a rigorous process.

Paul Daly

Chief Executive Officer

Rail Industry Safety and Standards Board

Keeping Standards up-to-date

Australian Standards developed by RISSB are living documents that reflect progress in science, technology and systems. To maintain their currency, Australian Standards developed by RISSB are periodically reviewed, and new editions published when required. Between editions, amendments could be issued. Australian Standards developed by RISSB could also be withdrawn.

It is important that readers assure themselves they are using a current Australian Standard developed by RISSB, which should include any amendments that have been issued since the Standard was published. Information about Australian Standards developed by RISSB, including amendments, can be found by visiting www.rissb.com.au.

RISSB welcomes suggestions for improvements, and asks readers to notify us immediately of any apparent inaccuracies or ambiguities. Members are encouraged to use the change request feature of the RISSB website at: http://www.rissb.com.au/products/. Otherwise, please contact us via email at info@rissb.com.au or write to Rail Industry Safety and Standards Board, PO Box 518 Spring Hill Qld 4004, Australia.

AS 7528:2019

Interior Communications

Document details

First published as: AS 7528:2019 Interior Communications ISBN 978-1-76072-364-4

Published by SAI Global Limited under licence from the Rail Industry Safety and Standards Board, PO Box 518 Spring Hill Qld 4004, Australia.

Copyright

© RISSB

All rights are reserved. No part of this work can be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of RISSB, unless otherwise permitted under the Copyright Act 1968.

Notice to users

This RISSB product has been developed using input from rail experts from across the rail industry and represents good practice for the industry. The reliance upon or manner of use of this RISSB product is the sole responsibility of the user who is to assess whether it meets their organisation's operational environment and risk profile.

Document control

Document identification

Designation / Title

AS 7528:2019 Interior Communications

Document history

Publication Version	Effective Date	Reason for and Extent of Change(s)	
2019	January 30, 2019	First published	

Approval

Name	Date
Rail Industry Safety and Standards Board	30/01/2019

RISSB ABN 58 105 001 465 Page 3

Contents

1	Introdu	ction	6	
	1.1	Purpose	6	
	1.2	Scope	6	
	1.3	Compliance	7	
	1.4	Referenced documents	7	
	1.4.1	Normative references		
	1.4.2	Informative references		
	1.5	Definitions and abbreviations	9	
3	Use cases for interior communication			
	3.1	General	. 10	
	3.2	Use case: Obtain alighting assistance	. 10	
	3.3	Use case: Obtain emergency assistance		
	3.4	Use case: Obtain general service information	. 13	
	3.5	Use case: Alert of imminent hazards	. 14	
	3.6	Use case: Warn passengers of an emergency situation	. 15	
	3.7	Use case: Obtain information to operate train	. 16	
4	Implem	nentation of use cases by interior communication system	. 17	
5	Require	Requirements for human interaction		
	5.1	General requirements	. 17	
	5.2	Individual interactions with an individual passenger or personnel	. 17	
	5.2.1	General	. 17	
	5.2.2	Spatial requirement	. 19	
	5.2.3	Audio input- microphone	. 20	
	5.2.4	Audio output- speakers	. 21	
	5.2.5	Hearing augmentation output	. 21	
	5.2.6	Visual output: indicator lights	. 21	
	5.2.7	Tactile input: control buttons	. 21	
X.	5.2.8	Visual input: video camera	. 22	
	5.2.9	Visual output: electronic visual display	. 22	
!	5.3	Group interactions	. 23	
	5.3.1	General	. 23	
	5.3.2	Audio output: speakers	. 23	
	5.3.3	Hearing augmentation output		
	5.3.4	Visual output: indicator lights	. 24	
	5.3.5	Visual output: electronic visual displays	. 24	
6	Requirements for system interaction			
	6.1	General requirements		
	6.2	Data communication network		
	6.3	Degree of protection		
	6.4	Real time transit information exchange	. 28	

7 No	n-functional requirements	 28
7.1	General requirements	 28
7.2	Availability	 28
7.3	Maintainability	28
7.4	Manageability	29
7.5	Performance	29
7.6	Reliability	 29
7.7	Security	30
7.8	Supportability	30
7.9	Sustainability	31
Annen	dix Contents	
Appendix	x A Hazard table	32

1 Introduction

1.1 Purpose

This Standard represents a national approach to defining the minimum functional and performance requirements for rolling stock interior communication systems to support the provision of statutory and key information and assistance to passengers.

1.2 Scope

Included in the scope of this Standard are on-train interior communications system installed on passenger rolling stock that facilitate the following fundamental use cases for audio, visual or audio and visual communications with an individual or group of passengers:

- (a) Obtain alighting assistance.
- (b) Obtain emergency assistance.
- (c) Obtain general service information.
- (d) Alert of imminent hazards.
- (e) Warn passengers of an emergency situation.

Included in the scope of this Standard are on-train interior communications system installed on passenger rolling stock that facilitate the use case of audio communications with on-train or onground personnel for train operations.

The use cases defined in this Standard involve the following actors:

- (a) Individual passenger.
- (b) Group of passengers.
- (c) On-train personnel (crew).
- (d) On-ground personnel.
- (e) On-train electronic systems.
- (f) On-ground electronic systems.

The use cases defined in this Standard support the rail transport operator (RTO) in the provision of statutory and key information and assistance to passengers; not discretionary information or assistance such as commercial advertising and infotainment.

Excluded from the scope of this Standard are:

- (a) use cases that require passengers to provide their own equipment, such as mobile phones, tablets and laptops;
- (b) on-train electronic systems associated with train management, control and operations, such as train radio, train control, CCTV surveillance and condition monitoring;
- (c) on-ground electronic systems;
- (d) train-to-ground radiocommunications systems. Refer to AS 7660; and
- (e) rolling stock that does not convey passengers, such as locomotives, freight vehicles, and infrastructure maintenance vehicles.