



Railway Infrastructure - Signage



Infrastructure Standard



This Australian Standard® AS 7632 Railway Infrastructure - Signage was prepared by a RISSB Development Group consisting of representatives from the following organisations:

Brookfield Rail
ARTC
Queensland Rail

Rio Tinto
Transport for NSW
Pacific National

CMT Solutions
BHP Billiton


The Standard was approved by the Development Group and the Infrastructure Standing Committee in November, 2015. On November 23, 2015 the RISSB Board approved the Standard for release.

This standard was issued for public consultation and was independently validated before being approved.

Development of the standard was undertaken in accordance with RISSB's accredited process. As part of the approval process, the Standing Committee verified that proper process was followed in developing the standard.

RISSB wishes to acknowledge the positive contribution of subject matter experts in the development of this standard. Their efforts ranged from membership of the Development Group through to individuals providing comment on a draft of the standard during the open review.

I commend this standard to the Australasian Rail Industry as it represents industry good practice and has been developed through a rigorous process.



Paul Daly
Chief Executive Officer
Rail Industry Safety and Standards Board

Keeping Standards up-to-date

Australian Standards developed by RISSB are living documents that reflect progress in science, technology and systems. To maintain their currency, Standards are reviewed every seven years, and new editions are published. Between editions, amendments may be issued. Australian Standards developed by RISSB may also be withdrawn.

It is important that readers assure themselves they are using a current RISSB Standard, which should include any amendments that may have been issued since the Standard was published. Information about Australian Standards developed by RISSB, including amendments, can be found by visiting www.rissb.com.au

RISSB welcomes suggestions for improvements, and asks readers to notify us immediately of any apparent inaccuracies or ambiguities. Members are encouraged to use the change request feature of the RISSB website at: <http://www.rissb.com.au/products/>. Otherwise, please contact us via email at rissb@rissb.com.au or write to Rail Industry Safety and Standards Board, PO Box 4271, Kingston, ACT 2604.

AS 7632:2015

Railway Infrastructure - Signage

Document Details

First published as: AS 7632 Railway Infrastructure Signage

ISBN 978-1-76035-383-4

Published by Rail Industry Safety and Standards Board (RISSB) ABN: 58 105 001 465

PO Box 4271, Kingston, ACT, Australia 2604

Copyright

©RISSB

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of RISSB, unless otherwise permitted under the Copyright Act 1968.

Notice to Users

This RISSB product has been developed using input from rail experts from across the rail industry and represents good practice for the industry. The reliance upon or manner of use of this RISSB product is the sole responsibility of the user who is to assess whether it meets their organisation's operational environment and risk profile.

Document Control

Identification

Document Title
AS 7632:2015 Railway Infrastructure - Signage

Document History

Publication Version	Effective Date	Reason for and Extent of Change(s)
2015	November 23, 2015	First release

Approval

Name	Date
Rail Industry Safety and Standards Board (RISSB)	23/11/2015

Contents

1	Introduction.....	6
1.1	Purpose	6
1.2	Scope	6
1.3	Compliance.....	6
1.4	Referenced documents	7
1.5	Definitions.....	8
1.5.1	Abbreviations.....	8
2	Design and Rating.....	9
2.1	General.....	9
2.2	Design Considerations	10
2.2.1	Shape, size and thickness of signs	10
2.2.2	Colours of signs.....	11
2.2.3	Use of borders, backgrounds and backplates	13
2.2.4	Lettering and symbols	15
2.2.5	Readability.....	15
2.2.6	Reflectivity	15
2.2.7	Environment	16
2.2.8	Whole of life considerations.....	16
2.2.9	Handling, transportation, storage and packing.....	16
2.2.10	Footings and foundations	16
2.2.11	Learned recognition.....	16
3	Fabrication.....	16
3.1	General.....	16
3.2	Integrity of Formation.....	17
4	Placement and Installation	17
4.1	General.....	17
4.1.1	Installation procedures	17
4.1.2	Visibility and position along the track.....	18
4.1.3	Rail traffic driver ergonomics	19
4.1.4	Clearances	19
4.1.5	Vertical position	19
4.1.6	Lateral position	19
4.1.7	Effect of the sun.....	19
4.1.8	Ambient lighting.....	20
4.2	Temporary signs.....	20
4.2.1	Method of fixing temporary signs.....	20
4.2.2	Power supply for illumination of temporary signs	20
5	Maintenance.....	20
5.1	General.....	20

5.2	Inspection and assessment	21
5.2.1	Scheduled patrol inspections.....	21
5.2.2	General inspections.....	21
5.2.3	Assessment.....	22
5.2.4	Assessment of sightline.....	22
6	Decommissioning and Disposal	23
6.1	General.....	23
6.2	Decommissioning	23
6.3	Disposal.....	23

Appendix Contents

Appendix A	Assessment of Sign Selection	24
Appendix B	Safety Danger - Examples of existing railway signs demonstrating the colour principals to be applied in railway signage	25
Appendix C	Cautionary advisory - Examples of existing railway signs demonstrating the colour principals to be applied in railway signage	27
Appendix D	General advisory - Examples of existing railway signs demonstrating the colour principals to be applied in railway signage	32
Appendix E	Operational advisory - Examples of existing railway signs demonstrating the colour principals to be applied in railway signage	35

1 Introduction

1.1 Purpose

This document describes requirements for the whole of life management of railway operational signage.

This documentation may be used to promote a consistent approach to be incorporated into the design, construction, inspection, monitoring, maintenance and decommissioning of railway signage across the Australian rail industry.

1.2 Scope

This Standard covers rail networks as classified in AS 7630 Railway Infrastructure - Track Classification.

This Standard is not specifically intended to cover urban on-street tramway or light rail networks, cane railways, or heritage railways operating on private reservation, but items from this Standard may be applied to such systems as deemed appropriate by the relevant Rail Infrastructure Manager.

This Standard applies to permanent and temporary infrastructure signs that provide information and directions for network users. These include:

- (a) Instruction signs for items such as:
 - i. Permanent speed restrictions
 - ii. Temporary speed restrictions
 - iii. Track possessions for engineering or other works.
- (b) Warning and caution signs for items such as:
 - i. Limit of shunt
 - ii. Limited clearance.
- (c) Information signs for items such as:
 - i. Change of operations system or operational parameters
 - ii. Structure, equipment and location identification signs including station identification and kilometre posts.

This document does not address the requirements for signs:

- (a) on trains
- (b) in public areas outside the operational safety zone, except for those dealing with operational safety
- (c) pertaining to the operation of a station, or customer wayfinding.

This Standard is intended to be used in conjunction with AS 7631 Railway Infrastructure - Sighting.

1.3 Compliance

There are two types of control contained within RISSB Standards:

- (a) mandatory requirements; and
- (b) recommended requirements.